American Type Culture Collection CATALOGUE OF BACTERIA AND PHAGES

Seventeenth edition, 1989



Editors:

Bacteria and Phages R. Gherna, Ph.D. P. Pienta, M.S.

Media R. Cote, M.A.

Editorial Staff:

H.D. Hatt, Head, Publications Department M.J. Edwards, Assistant Managing Editor M. Osvald, Editorial Assistant N.J. Piper, Senior Editorial Assistant C.J. Scamordella, Editorial Assistant

Photocopies may be made for personal or internal use without charge. More extensive copying is permitted provided a fee of \$1.00 per page is paid to the Copyright Clearance Center. 21 Congress St., Salem, MA 09170, citing ISBN 0-930009-23-1 and the page numbers copied. This consent does not extend to copying for general distribution, promotion, creating new works, or resale.

Copyright © 1989
American Type Culture Collection
12301 Parklawn Drive
Rockville, Maryland 20852-1776

ISBN: 0-930009-23-1

- Types 33 to 40

 Types 33 to 8340 B.E. Eddy (Diplococcus pneumoniae). Pub. Hlth. 8333 to 8340 (U.S.) 59: 449-468, 485-499, 1944. (Medium 260 37C)
- Types 41 to 39

 10341 to 10359

 B.E. Eddy (Diplococcus pneumoniae). Pub. Hlth. Repts. (U.S.) 59: 449-468, 485-499, 1944. (Medium 260 37C)

 Types 61 to 73

 Types 61 to 10373

 B.E. Eddy (Diplococcus pneumoniae). Pub. Hlth.
- 10361 to 10373 B.E. Eddy (Diplococcus pneumoniae). Pub. Hlth. Repts. (U.S.) 59: 449-468, 485-499, 1944. (Medium 260 37C)
- Type not specified
 | 10015 R.J. Dubos SVI (Diplococcus pneumoniae). (Medium 260 37C)
- 29514 A. Georgopoulos strain "delta" 538 (Pneumococcus sp.) Rudolfsspital, Vienna. (Medium 260 37C)
- 33400 NCTC 7465 S.D. Elliott Rockefeller Inst. Type strain (Int. J. Syst. Bact. 30: 368, 1981). (Medium 260 37C)
- 35088 W. Wilson. Aortic aneurysm in 7 yr-old boy. Penicillin resistant. (Medium 260 37C)
- 39322 Brookhaven National Lab 808. Patent strain. (Medium 260 37C)
- 39937 S.A. Lacks 809 carrying plasmid pLS69. Derived from Streptococcus pneumoniae R6. Strain is noncapsulated and reportedly never reverts to encapsulated form. Patent strain. (Medium 1420 37C)
- 39938 S.A. Lacks 825 carrying plasmid pLS101. Derived from Streptococcus pneumoniae R6. Strain is noncapsulated and reportedly never reverts to encapsulated form. Patent strain. (Medium 1420 37C)
- Streptococcus porcinus Collins et al.
- 12390 R. Lancefield group E strain K129 J. Brown strain certified milk 10. Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260 37C)
- 12391 R. Lancefield group E strain K131

 J. Brown strain certified milk C3056. Serotype II (G.E. Wessman, personal communication). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 4 37C)
- 14024 NCTC 9824 ← Streptococcus Ref. Lab., London. Lancefield Group P. Nord. Vet.-Med. 6: 69-72, 1954. Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 4 37C)
- 21223 Fort Dodge Labs. 59C-2S.H. Lancefield Group E. Hog jowl abscess. Production of a live vaccine for hog jowl abscess disease (U.S. Pat. 3.529,056). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 261 37C)
- 35647 G.E. Wessman NADC 145A ← R.D. Shuman. Swine abscess. Lancefield Group E. Serotype IV (Cornell Vet. 62: 540-568, 1972). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260 37C)
- 35648 G.E. Wessman NADC TG9 R.D. Shuman C.H. Armstrong. Swine abscess. Lancefield Group E. Serotype V (Cornell Vet. 62: 540-568, 1972). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260 37C)
- 35649 G.E. Wessman NADC 0851T ← R.D. Shuman. Swine tonsil. Lancefield Group E. Serotype VI (Cornell Vet. 73: 307-313, 1983). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260–37C)
- 35650 G.E. Wessman NADC 7585T ← R.D. Shuman. Swine tonsil. Lancefield Group E. Serotype VII (Cornell Vet. 73: 307-313, 1983). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260–37C)
- 35651 G.E. Wessman NADC 7121A ← R.D. Shuman ← R.F. Ross. Vaginal secretion of a sow. Lancefield Group E. Serotype VIII (Cornell Vet. 73: 307-313, 1983). Taxonomy (Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260 37C)
- 43138 NCTC 10999 ← J. Jelinkova 176. Haemorrhagic swine lymph nodes. Group V (Int. J. Syst. Bact. 24: 434-437, 1974). Type strain (ibid., 35: 224, 1985; Syst. Appl. Microbiol. 5: 402-413, 1984). (Medium 260 37C)
- Streptococcus pyogenes Rosenbach
- Lancefield's Group A
 - 4543 H.R. Ordell NYDP 14E. (ATCC 6550; Dochez 5) (Medium 260 37C)
 - 8058 J.H. Brown SH (Streptococcus alactosus). Human peritonitis. J. Med. Res. 31: 455, 1915. (Medium 4 37C)
 - 8668 M.G. Sevag C203M. (NCIB 8884; PCI 1307) Sensitive to sulfonamides. Assay of penicillin in body fluids. J. Bact. 43: 411-420, 1942. (Medium 260 37C)
 - 8669 M.G. Sevag C203G. J. Bact. 43: 421-445, 1942. (Medium

- 4 37C)
- 8670 M.G. Sevag C203R. J. Bact. 43: 421-445, 1942. (Medium 4 37C)
- 12202 NCTC 8370 (Type I). Phage host. (Medium 260 37C; use medium 235 for phage propagation)
- 12203 NCTC 8709 (Type 6 glossy). Phage host. (Medium 235 37C)
- 12204 NCTC 8306. (Mathews type 25) Phage host. (Medium 260 37C)
- 12351 R. Lancefield typing strain E14. (Dochez NY 5) Production of erythrogenic toxin (Dick toxin) (Zinsser's Textbook of Bacteriology, Smith & Conant, 10th edition, 1952, p. 254). T-type 8/25 (ATCC Lab). (Medium 4 37C)
- 14289 Preceptrol® culture. A. Bernheimer C203 S. "Glossy," non-M containing variant of strain C203. (Medium 260 37C)
- 14918 R.M. Cole. (Kjem's 3807) Lysogenic: carries temperate phage 12/12, lytic on Streptococcus pyogenes ATCC 14919. (Medium 260 37C)
- 14919 R.M. Cole. (Kjem's strain K56) Indicator strain lysed by Kjem's phage strain 12/12 (carried by lysogenic Streptococcus pyogenes ATCC 14918). (Medium 235 37C)
- 19615 Preceptrol® culture. R.G. Wittler strain Bruno ← Z. McGee ← E. Mortimer. Pharynx of child following episode of sore throat. (Medium 260 37C 5% CO₂)
- 21059 S. Koshimura Sv (Streptococcus hemolyticus). Human isolate. Produces streptolysin S (Japan. J. Exp. Med. 36: 161-174, 1966). Production of anti-tumor agent (ibid., 36: 175-186, 1966; U.S. Pats. 3,477,914 and 4,328,218). (Medium 261 37C)
- 21060 S. Koshimura Su (Streptococcus hemolyticus). Derived from S. pyogenes ATCC 21059. Produces streptolysin S (Japan. J. Exp. Med. 36: 161-174, 1966). Production of anti-tumor agent (ibid., 36: 175-186, 1966; U.S. Pats. 3,477,914 and 4,328,218). (Medium 261, 37C)
- 21547 Chugai Seiyaku Kabushiki Kaisha S-43 (Streptococcus hemolyticus) H. Slade. Human isolate. Production of streptolysin S and O and an anti-tumor agent (U.S. Pat. 3,786,141). (Medium 260 37C)
- 27762 A.W. Bernheimer C203 U. Derived from S. pyogenes strain C203 S. Produces streptolysin O but not S. Streptolysin O studies (J. Bact. 100: 526-527, 1969 and Infect. Immun. 7: 731-734, 1973). (Medium 260 37C)
- 29218 Sandoz — Hoechst 77/4523. Assay of pleuromutilin derivatives (Antimicrob. Agents Chemother. 7: 507-516, 1975). (Medium 18 broth 26C)
- 43202 R.L. Wilder strain Wilder's D58 ← G. Calandra ← R. Lancefield. Experimental induction of polyarthritis in rats (Arthritis Rheum. 25: 1064-1072, 1982; ibid., 26: 560-563, 1442-1451, 1983). (Medium 260 37C)
- Type 1
 - 8671 M.G. Sevag 1685M. J. Bact. 43: 411-420, 1942. (Medium 4 37C)
- 12344 R. Lancefield typing strain TI F. Griffith SF 130. (NCIB 11841) Type strain (Int. J. Syst. Bact. 30: 368, 1980). (Medium 4 37C)
- Type 2
- 12345 R. Lancefield typing strain T2 F. Griffith strain BIT. (Medium 260 37C)
- 12961 R. Lancefield typing strain C649A. Contains R antigen. (Medium 4 37C)
- Type 3
 10389 Replacement received from: R. Lancefield D58 (- R. Gillespie [AMC strain Richards]). (ATCC 9959 and 12346)
 Production of streptolysin O. Proc. Soc. Exp. Biol. Med.
- 59: 22-25, 1945. (Medium 4 37C)
 12383 R. Lancefield typing strain D58X. Variant of strain D58; contains no M antigen. Production of streptolysin O. J. Exp. Med. 108: 329, 1958. (Medium 4 37C)
- 12384 R. Lancefield typing strain C203. (Dochez 1708) Phage host. (Medium 4, for phage propagation use 235–37C)
- 21546 H. Okamoto et al. C 203 S (Streptococcus hemolyticus) ← A. Bernheimer. Produces streptolysin S and O (Kanazawa Kekken Nempo 23: 61-66, 1965). Production of anti-tumor agent (U.S. Pat. 3,810,819). (Medium 261–37C)
- Type 4
 - 12385 R. Lancefield grouping strain J17A4. (A.F. Coburn RPHI) (Medium 260 37C)

BACTERIA

-		CTERIA	
Strepto	Ococcus pyogenes (continued)	Type 3	**
1 ype 5		1000	
12347	Democracia typing Silain 13M (F (restricts execut Economics)	12363 Type 32	" - " John Strain Jij/, Tonsus, Internium & 1/1/1
	(Medium 260 37C)) 1 ype 3. 12364	7 6
Type 6	·		 R. Lancefield typing strain C121 — Rockefeller Inst. Hos 19RS63. (Medium 4 37C)
12348	-" wonderiole typing strain 341 (1)0cher and Auge, C42	Type 33	19K303. (Medium 4-37C)
Q	[Texas]) (Medium 260 37C)	12365	
Type 8 12349			5 R. Lancefield typing strain C107 ← Rockefeller Inst. Hosp 14RS60. (Medium 4 37C)
12349	The state of the s	Type 34	14K300. (Medium 4 3/C)
O	NF14 or SFH) (Medium 4 37C)	12366	
Type 9 12350			6 R. Lancefield typing strain C142. (A. Kuttner B22) (Mediur 4 37C)
الديد ا		Type 35	
Type 11	(Medium 4 37C)	12367	
12352			7 R. Lancefield typing strain C171. (A. Kuttner 24 Berg (Medium 4 37C)
1400.	R. Lancefield typing strain T11. (F. Griffith NE 73T) (Medium 4 37C)	Type 36	6
21548			
410-0	H. Okamoto et al. strain Blackmore (Streptococcus		8 R. Lancefield typing strain C119. (A. Kuttner B35) (Mediun 4 37C)
	O DELINET Produces steamed and C	~ ~~	\$ 37C)
	(manazawa wekken Nemno /4. 61-66 1065) D-04	12370	R. Lancefield typing strain C94 - Rockefeller Inc. Hosp
Type 12	anti-tumor agent (U.S. Pat. 3,810,819). (Medium 261 37C)		13RS1. (Medium 4 37C) Rockefeller Inst. Hosp
		Type 39	•
line.	The state of the s	12371	R. Lancefield typing strain C95 - Rockefeller Inst. Hospital
	BIVITE BIOLICULUS I MANTHE AND 177'S		19RS14. (Medium 260 37C) Rockefeller Inst. Hosp.
11433	R.W. Reed 35. Throat of nations with sauce	Type 40) (Medium 260-37C)
	Biolici Giorgini (N. C. Medium 4, 370)	12372	
11430	K. W. Reed 8. Throat of patient with acute clomesules and		 R. Lancefield typing strain C143 ← Rockefeller Inst. Hosp. C143. (Medium 4 37C)
	(1/10/10/11 4 3/(.)	Type 41	C143. (Medium 4-3/C)
روده ا	R. Lancefield typing strain T12. (F. Griffith SF 42) (Medium 260 37C)	12373	
Type 13	260-37C)		R. Lancefield typing strain C101 ← Rockefeller Inst. Hosp. 4RS8. (Medium 4 37C)
	D. E. Limita and C. Mita and Company of the Company	Type 42	4K36. (Medium 4-3/C)
1400.	R. Lancefield typing strain T13. (ATCC 6553; F. Griffith strain Glover) (Medium 4, 27C)	12374	R. Lancefield typing strain C113 - Pockefeller Inc. II
Гуре 14	strain Glover) (Medium 4 37C)		1K3/7. (McGium 4 1/()
	man and the second of the seco	Type 43	1K375. (Medium 4-37C)
		12375	R. Lancefield typing strain C126 - Rockefeller Inst. Hoop
45005	R.G. Wittler - E. Mortimer P20000 Human access	_	2RS63. (Medium 4 37C)
	pyogenes L-Phase variant P20080-1 (ATCC 27080) (A. C.	Type 46	
	pyogenes L-Phase variant P20080-L (ATCC 27080). (Medium 610 37C 5% CO ₂)	12377	R. Lancefield typing strain C105 - Rockefeller Inst. Hoose
ype 15	310 3/C 3% CO ₂)		20RS14. (Medium 4 37C) Rockefeller Inst. Hosp.
9898]	man and the second seco	Type 47	20K314. (Medium 4-3/C)
10,0	R. Lancefield typing strain T15. (F. Griffith JS 5) (Medium 4 37C)	12378	R. Lancefield typing strain C744. (F. Griffith SF 13) (Medium
ype 17	+ 3/C)		4 37C) (Medium
	D. Lamadiald south state (4, G. L., Boy of F.	Type 48	•
1202.	R. Lancefield typing strain J17E. (A. Coburn R9) (Medium 4 37C)	12963	R. Lancefield typing strain B403. Contains no R antigen;
ype 18	, 3rcj		suitable for preparing Type 48 antiserum (Medium 260, 320)
	D. I amosfield soming starts 1170 /A Cab D201 /A II	12964	ic. Lancenela typing strain (510 Contains D anti-
1400.	R. Lancefield typing strain J17C. (A. Coburn R20) (Medium 4 37C)	_	(Medium 4 37C) Strain C510. Contains R antigen.
ype 19	· 3/C)	Type 49	
	D. Tamadald aming armin tiets (A. Color, Best Arm)	13540	
	R. Lancefield typing strain J17D. (A. Coburn R3) (Medium 260-37C)		II) (Medium 4 37C)
ype 22	.00 3/C)	Type 50	1) (Mediani 4 5/C)
	O Facilitate and control man of the comment	12382	R. Lancefield typing strain B514. (J. Nelson 7353) Comment:
h	R. Lancefield typing strain T22. (F. Griffith 63T) Produces		1 or merry Type B314, (Medium 4 (7(1)
n y pe 23	hyaluronidase. J. Path. Bact. 56: 27, 1944. (Medium 4 37C)	Type B447	7 (Medium 4 37C)
, pc 25		12381	R. Lancefield typing strain B447 (R. Williams strain Cooks
٠,	R. Lancefield typing strain T23. (F. Griffith strain Barts 102) Medium 4 37C)		
ype 24 ՝	Medium 4 3/C)	1 ype H105	15
10781 R	R. Lancefield C115 - F. Griffith G54. (Medium 260 37C)	12380	R. Lancefield typing strain H105on (W. Tillett storie CO)
10782 R	Lancefield Clip . F. Offilin Up4. (Medium 200 3/C)		- iormorysm production. (Medium 4 37C)
fe	R. Lancefield typing strain C98. Nose and throat of rheumatic- ever patient. (Medium 4 37C)	1 ype rong	aon
pe 25	ever patient. (Medium 4 3/C)	12379	R. Lancefield strain London. (E. Todd strain London)
	I appealed to the strain Date of the N. Come Day of History	(
41	R. Lancefield typing strain B346op ← N.Y. State Dept. Hlth. 1459. (Medium 4-37C)	Streptoco	Occus rattus (Covkendall) Covkendall
pe 26	1435. (Wedlum 4-3/C)	19043	K.J. Fitzgerald FA-1. Caries lesion in rat. Type attack.
	Characterist anning service 1172 (A. Cabura B.17) (Madium	•	3. Syst. Bact. 27, 28, 19/7). J. Dental Res. 30.023-035, 1060
7	t. Lancefield typing strain J17F. (A. Coburn R17) (Medium 37C)		(McGium 4 3/C)
pe 27	370)	Streptoco	occus saccharolyticus Farrow et al
8135 R.	Lancefield typing strain T27 - F. Griffith 780 Tate.	430/0 [NCDO 2594 - J. Kruze HF 62 Straw badding Town at the
(A	Medium 4 37C) ← F. Griffith 780 Tate.	,	1 J. 3731. Datt. 33. 224. 1983. Suct Anni MiLin 6.
(14	viedium 4 3/C)		
pe 28	Tanana and the same and the sam	Sireptocod	occus salivarius Andrewes and Horder
pe 28	TO PLANTA TO THE PARTY OF THE P	7073 N	New York State Dent With 275 /cannot
pe 28 2962 R. in	. Lancefield typing strain T28. Contains Type 28 M antigen		TOTA State Dept. Mitti. 213 (Streptococcus
pe 28 2962 R. in	. Lancetield typing strain T28. Contains Type 28 M antigen addition to R antigen. (Medium 4 37C)	•	our diode the fitting of the second plant to a line of the second
pe 28 2962 R. in pe 29	addition to R antigen. (Medium 4 37C)	•	our droug / / J.C. Small (NCTC 9619) Disastes - 1
pe 28 2962 R. in pe 29 0096 R.	Lancefield typing strain T28. Contains Type 28 M antigen addition to R antigen. (Medium 4 37C) Lancefield typing strain Coggins D23. (Medium 4 37C)	p 2	patient with acute articular rheumatism. Group K. (Medium 261 37C)
pe 28 2962 R. in pe 29 0096 R. pe 30	addition to R antigen. (Medium 4 37C) Lancefield typing strain Coggins D23. (Medium 4 37C)	9222 I.	patient with acute articular rheumatism. Group K. (Medium 261 37C) I.C. Gunsalus S20B. (ATCC 9757) Assay of this mine (I. P.)
pe 28 2962 R. in pe 29 0096 R. pe 30 2362 R.	addition to R antigen. (Medium 4 37C)	9222 I.	patient with acute articular rheumatism. Group K. (Medium